

# SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006  
Disicide® Concentrate

Valid from 2017-10-06

Version 1.0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Trade name: Disicide® Concentrate  
600 ml Art.nr. 035001 1500 ml Art.nr. 035002

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture: Biocides

Uses advised against: At this moment we have not identified any uses advised against

### 1.3 Details of the supplier of the safety data sheet

**Company** Terapima International  
Smidesvägen 13  
SE – 24534 Staffanstorp, Sweden  
+46 46 238495  
info@terapima.se info@disicide.com

**Emergency telephone number** Please call your local emergency services in your country

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Hazard class	Hazard category	Target Organs	Hazard statements
Skin corrosion	Category 1B	---	H314
Specific target organ toxicity – single exposure	Category 3	Respiratory system	H335
Acute aquatic toxicity	Category 1	---	H400
Chronic aquatic toxicity	Category 2	---	H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

### Most important adverse effects

**Human Health** Chronic exposure damages the brain and the central nervous system.  
Inhalation may cause the following effects: May cause respiratory irritation.  
Skin contact may cause the following effects: Burns with pain, redness and wounds.  
Eye contact may cause the following effects: Splashes in the eyes may cause painful burns, which may result in permanent damage to the eyes.

**Physical and chemical hazards** Strong heating may produce combustible vapours which can form explosive mixture with air.  
To be stored as flammable liquid.

**Potential environmental effects** Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard symbols:



# SAFETY DATA SHEET

## According to Regulation (EC) No.1907/2006

### Disicide® Concentrate

Valid from 2017-10-06

Version 1.0

Signal word: Danger

Hazard statements: H314 Causes severe skin burns and eye damage.  
 H335 May cause respiratory irritation.  
 H410 Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Hazardous components which must be listed on the label:

• 2-aminoethanol • Didecyldimethyl ammonium chloride • Potassium carbonate • propan-2-ol

#### 2.3. Other hazards

For Results of PBT and vPvB assessment see section 12.5.  
 Contains organic solvents. To be stored as flammable liquid.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Mixtures

Hazardous components	Amount [%]	Classification (REGULATION (EC) No 1272/2008)	
		Hazard class / Hazard category	Hazard statements
<b>2-aminoethanol</b>			
Index-No: 603-030-00-8	>= 5 - < 10	Acute Tox.4	H332
CAS-No: 141-43-5		Acute Tox.4	H312
EC-No: 205-483-3		Acute Tox.4	H302
EU REACH: 01-2119486455-28-xxxx		Skin Corr.1B	H314
Reg. No: -		STOT SE3	H335
		Aquatic Chronic3	H412
<b>Didecyldimethylammonium chloride</b>			
Index-No: 612-131-00-6	>= 5 - < 10	Acute Tox.3	H301
CAS-No: 7173-51-5		Skin Corr.1B	H314
EC-No: 230-525-2		Aquatic Chronic1	H410
		Aquatic Acute1	H400
<b>Alcohols C16-18, ethoxylated</b>			
CAS-No: 68439-49-6	>= 3 - < 10	Eye Irrit.2	H319
EC-No: 5002128			
<b>Potassium carbonate</b>			
CAS-No: 584-08-7	>= 3 - < 5	Skin Irrit.2	H315
EC-No: 209-529-3		Eye Irrit.2	H319
EU REACH: 01-2119532646-36-xxxx		STOT SE3	H335
Reg. No:			

# SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006  
Disicide® Concentrate

Valid from 2017-10-06

Version 1.0

## Propan-2-ol

Index-No: 603-117-00-0

>= 1 - < 3

Flam. Liq.2

H225

CAS-No. : 67-63-0

Eye Irrit.2

H319

EC-No. : 200-661-7

STOT SE3

H336

EU REACH: 01-2119457558-25-xxxx

Reg. No. :

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

- If inhaled: Move to fresh air. Consult a physician.
- In case of skin contact: Wash off immediately with soap and plenty of water.  
Remove contaminated clothing and shoes. Call a physician immediately.
- In case of eye contact: Rinse immediately with plenty of water, also under the eyelids.  
Remove contact lenses. Continue rinsing eyes during transport to hospital.
- If swallowed: Call a physician immediately. Rinse mouth with water. Drink 1 or 2 glasses of water.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: See Section 11 for more detailed information on health effects and symptoms.

Effects: See Section 11 for more detailed information on health effects and symptoms.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically. No further information available.

## 5. FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

Suitable extinguishing media: Water spray, foam, dry powder or CO<sub>2</sub>.

Unsuitable extinguishing media: High volume water jet

### 5.2. Special hazards arising from the substance or mixture

Specific hazards during firefighting: Heating or fire can release toxic gas.

### 5.3. Advice for firefighters

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus. Wear personal protective equipment. Choose protective equipment according to size of fire.

Further advice: No further information available.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions:

Wear personal protective equipment. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).

### 6.2. Environmental precautions

Should not be released into the environment. Local authorities should be advised if significant spillages cannot be contained.

### 6.3. Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)

# SAFETY DATA SHEET

## According to Regulation (EC) No.1907/2006

### Disicide® Concentrate

Valid from 2017-10-06

Version 1.0

and place in container for disposal according to local / national regulations (see section 13).

#### 6.4. Reference to other sections

For personal protection see section 8.

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Advice on safe handling:

Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures:

Smoking, eating and drinking should be prohibited in the application area. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feedingstuffs.

### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers: Storage must follow the regulations for flammable liquids.

### 7.3. Specific end use(s)

Specific use(s): No information available.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control Parameters

**Component: 2-aminoethanol CAS-No. 141-43-5 Other Occupational Exposure Limit Values**

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, Time Weighted Average (TWA): 1 ppm, 2,5 mg/m3 Indicative

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, Short Term Exposure Limit (STEL): 3 ppm, 7,6 mg/m3 Indicative

### 8.2. Exposure controls

#### Personal protective equipment

##### Respiratory protection

Advice: Required, if exposure limit is exceeded (e.g. OEL). Recommended Filter type:A

##### Hand protection

Advice: Wear suitable gloves.

##### Eye protection

Advice: Tightly fitting safety goggles

##### Skin and body protection

Advice: Complete suit protecting against chemicals

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Form: Liquid  
Colour: Blue  
Odour: No data available  
Odour Threshold: No data available  
pH: 12,9 ( 20 °C)

# SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006  
Disicide® Concentrate

Valid from 2017-10-06

Version 1.0

Freezing point:	No data available
Boiling point:	No data available
Flash point:	> 65 °C
Evaporation rate:	No data available
Flammability (solid, gas):	No data available
Upper explosion limit:	No data available
Lower explosion limit:	No data available
Vapour pressure:	23 hPa (20 °C)
Relative vapour density:	No data available
Density:	1,06 g/cm <sup>3</sup> (20 °C)
Water solubility:	Completely soluble
Partition coefficient:	N-octanol/water: no data available
Auto-ignition temperature:	No data available
Thermal decomposition:	No data available
Viscosity, dynamic:	30 mPa.s (20 °C)
Explosivity:	The product does not present an explosion hazard.
Oxidizing properties:	No data available

## 9.2. Other information

No further information available.

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

Advice: Stable at normal ambient temperature and pressure.

### 10.2. Chemical stability

Advice: No decomposition if stored and applied as directed. No further information available.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: No information available.

### 10.4. Conditions to avoid

Conditions to avoid: Protect from frost, heat and sunlight.

### 10.5. Incompatible materials

Materials to avoid: No information available.

### 10.6. Hazardous decomposition products

Hazardous decomposition products: No information available.

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### *Data for the product*      **Acute toxicity**

##### **Oral**

Acute toxicity estimate: > 2000 mg/kg ) (Calculation method)

##### **Inhalation**

Acute toxicity estimate: > 20 mg/l (4 h; vapour) (Calculation method)

##### **Dermal**

Acute toxicity estimate: > 2000 mg/kg ) (Calculation method)

#### **Irritation**

##### **Skin**

Result: May cause burns with pain, redness and wounds.

# SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006  
Disicide® Concentrate

Valid from 2017-10-06

Version 1.0

## Eyes

Result: Splash in the eyes may cause painful burns, and may result in permanent damage to the eyes.

## Sensitisation

No data available

## CMR Properties

Carcinogenicity: No data available

Mutagenicity: No data available

Reproductive toxicity: No data available

## CMR effects

## Specific Target Organ Toxicity

Single exposure No data available

Repeated exposure No data available

## Other toxic properties

Repeated dose toxicity No data available

Aspiration hazard No data available

## Further information

Experience with human exposure Contains organic solvents. Chronic exposure damages the brain and the central nervous system.

**Component: didecyldimethylammonium chloride CAS-No. 7173-51-5**

## Acute toxicity

### Oral

LD50 238 mg/kg (Rat) (OECD Test Guideline 401)

### Dermal

LD50 3342 mg/kg (Rabbit)

**Component: 2-aminoethanol CAS-No. 141-43-5**

## Acute toxicity

### Oral

LD50 Oral 1089 mg/kg (Rat) (OECD Test Guideline 401) Cause serious burns with severe pains, vomiting, pains in the stomach, possibly chock and damaged kidneys. The burn may occur even if only small amounts have been swallowed.

### Inhalation

LC50 > 1,3 mg/l (Rat; 6 h; vapour) Harmful by inhalation. Inhalation may cause pain to nose and throat, cough, headache and poorly.

## 12. ECOLOGICAL INFORMATION



### 12.1. Toxicity

**Component: didecyldimethylammonium chloride CAS-No. 7173-51-5**

## Acute toxicity

### Fish

# SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006  
Disicide® Concentrate

Valid from 2017-10-06

Version 1.0

**LC50** 0,19 mg/l (Pimephales promelas (fathead minnow); 96 h) (US-EPA)

### **Toxicity to daphnia and other aquatic invertebrates**

**EC50** 0,062 mg/l (Daphnia magna; 48 h) (Immobilization; EPA-FIFRA)

### **Algae**

**ErC50** 0,026 mg/l (Pseudokirchneriella subcapitata (green algae); 96 h)  
(Growth inhibition; OECD Test Guideline 201)

### **Bacteria**

**EC50** 11 mg/l (activated sludge; 3 h) (Respiration inhibition; OECD Test Guideline 209)

### **Chronic toxicity**

### **Fish**

**NOEC** 0,032 mg/l (Danio rerio (zebra fish); 34 d) (OECD Test Guideline 210)

### **Aquatic invertebrates**

**NOEC** 0,010 mg/l (Daphnia magna (Water flea); 21 d)  
(Reproductive toxicity; OECD Test Guideline 211)

### **M-Factor**

**M-Factor (Acute Aquat. Tox.)** 10

**M-Factor (Chron. Aquat. Tox.)** 1

**Component: 2-aminoethanol** **CAS-No. 141-43-5**

### **Acute toxicity**

### **Fish**

**LC50** 170 mg/l (Carassius auratus (goldfish); 96 h) (static test; APHA 1971)

**LC50** 349 mg/l (Cyprinus carpio (Carp); 96 h) (semi-static test;  
Tested according to Directive 92/69/EEC.)

### **Toxicity to daphnia and other aquatic invertebrates**

**EC50** 65 mg/l (Daphnia magna; 48 h)

### **Algae**

**EC50** 22 mg/l (Scenedesmus subspicatus; 72 h) (Growth inhibition;  
Tested according to Directive 92/69/EEC.)

**EC50** 2,5 mg/l (Scenedesmus capricornutum (fresh water algae); 72 h)  
(Growth inhibition; OECD Test Guideline 201)

### **Bacteria**

**EC20** > 1000 mg/l (activated sludge; 0,5 h) (OECD Test Guideline 209)

**EC50** 110 mg/l (Pseudomonas putida; 16 h) (DIN 38412)

# SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006  
Disicide® Concentrate

Valid from 2017-10-06

Version 1.0

**EC50** > 1000 mg/l (activated sludge; 3 h) (OECD Test Guideline 209)

## **Chronic toxicity**

Fish

**NOEC** 1,2 mg/l (*Oryzias latipes* (Orange-red killifish); 30 d)

## **Aquatic invertebrates**

**NOEC** 0,85 mg/l (*Daphnia magna* (Water flea); 21 d) (OECD Test Guideline 211)

## **12.2 Persistence and degradability**

### **Inhalation**

**Result** No data available

**Component:** *didecyldimethyl ammonium chloride* CAS-No. 7173-51-5

### **Persistence and degradability**

#### **Biodegradability**

**Result** 72 % (Exposure Time: 28 d)(OECD Test Guideline 301B)Readily biodegradable.

**Result** 91 % (Exposure Time: 24 - 70 d)(OECD 303 A)

**Component:** *2-aminoethanol* CAS-No. 141-43-5

### **Persistence and degradability**

#### **Biodegradability**

**Result** > 90 % (aerobic; activated sludge; Exposure Time: 21 d)(OECD Test Guideline 301A)  
Readily biodegradable.

## **12.3 Bioaccumulative potential**

**Component:** *didecyldimethyl ammonium chloride* CAS-No. 7173-51-5

### **Bioaccumulation**

**Result** BCF: 2,1 Bioaccumulation is not expected.

**Component:** *2-aminoethanol* CAS-No. 141-43-5

### **Bioaccumulation**

**Result** log Kow -1,91  
Bioaccumulation is not expected.

## **12.4. Mobility in soil**

**Component:** *2-aminoethanol* CAS-No. 141-43-5

**Mobility** The substance will not evaporate into the atmosphere from the water surface.  
Not expected to adsorb on soil.

## **12.5. Results of PBT and vPvB assessment**

**Data for the product**

**Results of PBT and vPvB assessment**

# SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006  
Disicide® Concentrate

Valid from 2017-10-06

Version 1.0

**Result** This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6. Other adverse effects

### Data for the product

#### Additional ecological information

**Result** Very toxic to aquatic life with long lasting effects.

## 13. DISPOSAL CONSIDERATIONS



### 13.1. Waste treatment methods

#### Product

Eliminate waste in conditions authorized by the regulations. Store waste in containers provided for this purpose. Do not dump in drains, water sheets or the ground.

#### Contaminated packaging

Packaging that cannot be cleaned are to be disposed of in the same manner as the product.

#### European Waste Catalogue Number

No waste code according to the European Waste Catalogue can be assigned for this product, as the intended use dictates the assignment. The waste code is established in consultation with the regional waste disposer.

## 14. TRANSPORT INFORMATION



**14.1. UN number** 1903

### 14.2. UN proper shipping name

**ADR** DISINFECTANT, LIQUID, CORROSIVE, N.O.S.  
(Didecyldimethylammonium chloride, Ethanolamine)

**RID** DISINFECTANT, LIQUID, CORROSIVE, N.O.S.  
(Didecyldimethylammonium chloride, Ethanolamine)

**IMDG** DISINFECTANT, LIQUID, CORROSIVE, N.O.S.  
(Didecyldimethylammonium chloride, Ethanolamine)

### 14.3. Transport hazard class(es)

**ADR-Class** 8  
(Labels; Classification Code; Hazard identification No; Tunnel restriction code) 8; C9; 80; (E)

**RID-Class** 8  
(Labels; Classification Code; Hazard identification No) 8; C9; 80

**IMDG-Class** 8  
(Labels; EmS) 8; F-A, S-B

### 14.4. Packaging group

**ADR** III  
**RID** III  
**IMDG** III

# SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006  
Disicide® Concentrate

Valid from 2017-10-06

Version 1.0

## 14.5. Environmental hazards

Environmentally hazardous according to ADR	Yes
Environmentally hazardous according to RID	Yes
Marine Pollutant according to IMDG-Code	Yes

14.6. Special precautions for user Not applicable.

## 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### *Data for the product*

Pregnant and nursing women may not be exposed to the product. Take in consideration the national regulation. As a principal rule, persons under 18 years are not allowed to work with this substance. Only persons, who are thoroughly instructed in the dangerous properties and the necessary safety precautions of the substance, are allowed to work with it.

### 15.2. Chemical safety assessment

No data available

## 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

<b>H225</b>	Highly flammable liquid and vapour.
<b>H301</b>	Toxic if swallowed.
<b>H302</b>	Harmful if swallowed.
<b>H312</b>	Harmful in contact with skin.
<b>H314</b>	Causes severe skin burns and eye damage.
<b>H315</b>	Causes skin irritation.
<b>H319</b>	Causes serious eye irritation.
<b>H332</b>	Harmful if inhaled.
<b>H335</b>	May cause respiratory irritation.
<b>H336</b>	May cause drowsiness or dizziness.
<b>H400</b>	Very toxic to aquatic life.
<b>H410</b>	Very toxic to aquatic life with long lasting effects.
<b>H411</b>	Toxic to aquatic life with long lasting effects.
<b>H412</b>	Harmful to aquatic life with long lasting effects.

### Abbreviations and Acronyms

<b>BCF</b>	Bioconcentration factor
<b>BOD</b>	Biochemical oxygen demand
<b>CAS</b>	Chemical Abstracts Service
<b>CLP</b>	Classification, Labelling and Packaging
<b>CMR</b>	Carcinogenic, mutagenic or toxic to reproduction
<b>COD</b>	Chemical oxygen demand
<b>DNEL</b>	Derived no-effect level
<b>EINECS</b>	European Inventory of Existing Commercial Chemical Substances
<b>ELINCS</b>	European List of Notified Chemical Substances
<b>GHS</b>	Globally Harmonized System of Classification and Labelling of Chemicals
<b>LC50</b>	Median lethal concentration
<b>LOAEC</b>	Lowest observed adverse effect concentration
<b>LOAEL</b>	Lowest observed adverse effect level
<b>LOEL</b>	Lowest observed effect level
<b>NLP</b>	No-longer polymer
<b>NOAEC</b>	No observed adverse effect concentration
<b>NOAEL</b>	No observed adverse effect level

# SAFETY DATA SHEET

## According to Regulation (EC) No.1907/2006

### Disicide® Concentrate

Valid from 2017-10-06

Version 1.0

<b>NOEC</b>	No observed effect concentration
<b>NOEL</b>	No observed effect level
<b>OECD</b>	Organisation for Economic Cooperation and Development
<b>OEL</b>	Occupational exposure limit
<b>PBT</b>	Persistent, bioaccumulative and toxic
<b>PNEC</b>	Predicted no-effect concentration
<b>STOT</b>	Specific target organ toxicity
<b>SVHC</b>	Substance of very high concern
<b>UVCB</b>	Substance of unknown or variable composition, complex reaction products or biological materials
<b>vPvB</b>	Very persistent and very bioaccumulative

#### Key literature references and sources for data

Supplier information and data from the "Database of registered substances" of the European Chemicals Agency (ECHA) were used to create this safety data sheet.

#### Methods used for product classification

The classification for human health, physical and chemical hazards and environmental hazards were derived from a combination of calculation methods and if available test data.

#### Hints for trainings

The workers have to be trained regularly on the safe handling of the products based on the information provided in the Safety Data Sheet and the local conditions of the workplace. National regulations for the training of workers in the handling of hazardous materials must be adhered to.

#### Indicates updated section.

The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only describes the products with regard to safety arrangements and is not to be considered as a warranty or quality specification and does not constitute a legal relationship. The information contained in this Safety Data Sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

---

#### Mixing ratio: 1:32

30 ml Disicide Concentrate to 1000 ml water.

#### Transport hazard class

Disicide Concentrate have no Hazard class for transportation